


Worlds Most Durable Guard Tour Systems

Guard-Pro



Guard-Pro Guard Tour Systems

Centor.



Guard-Pro M 10K

Automated Guard Patrol Tour Systems
proudly Distributed/Supported by

Time Access Systems Inc

Phone: (604) 460-9602 - Toll Free: 1-877-460-9602

www.timeaccessinc.com


Mobile 10K

Guard Tour Verification System

Easy to Use
Direct Download to a PC
Military Quality – Long Life



10K – PC Software



Guard-Pro

Guard Tour Patrol Systems

Guard-Pro 10K Components



Guard ID Keys and Badges



Multi-Function
P10K Download
Cradle



Checkpoints



Incident
Booklets

Remote Transmission Option!
Can download and view Tours
on your phone, tablet or PC




High Quality and Durable Guard Tour System

Guard-Pro Mobile10K Specifications

- 20% Glass Reinforced Polycarbonate Casing, "Lexan®"
- Battery life 300,000 Recordings, 3 AAA batteries.
- Nonvolatile RAM memory, capacity 5000 Recordings, assures integrity of data in the absence of power for 10 years.
- Self powered Maxim Real Time Clock, keeps date and time in the absence of power for 10 years.
- Operating Temperature -40° to 85°C
- Impact tested Circuit Board at 100 G +.
- Complies with tropical rain forest operation specifications. IP Ratings are IP679DW (IK10)
- A Brass Head Probe can be installed for use on explosive environments (Optional).
- Dimensions: L 10.0, W 4.8, H 3.5 centimeters,
- Light and easy to carry, yet very strong. Weight 160 grams.
- Operation Humidity above 90% RH.




Downloading directly to a PC



With the easy-to-use 10K-PC program, all you need to do, is connect the 10K Recorder and a couple of clicks away, you will have a comprehensive report in csv and pdf formats.





| Hardware ID | QR No. | Site Name | Tour | Checkpoint Name | Date / Time | Officer | Message |
|--|------------------|-------------------|---------------------|-------------------------|---------------------|----------------------|-------------|
| de00000059def024 | 36000001c404e803 | XYZ Shopping Mall | North Wing | 001 - Entrance | 2021-08-11 16:14:10 | Mr William Orange | |
| de00000059def024 | 5700000180542f04 | XYZ Shopping Mall | North Wing | 002 - Nightingale Bank | 2021-08-11 17:17:20 | Mr William Orange | |
| de00000059def024 | 23000001a2c73704 | XYZ Shopping Mall | North Wing | 004 - Childrens Corner | 2021-08-11 18:16:12 | Mr William Orange | |
| de00000059def024 | ba000001b2825404 | XYZ Shopping Mall | North Wing | 006 - Barber Shop | 2021-08-11 18:21:39 | Mr William Orange | |
| de00000059def024 | ba000001b2825404 | XYZ Shopping Mall | North Wing | 006 - Barber Shop | 2021-08-11 18:25:43 | Mr William Orange | |
| de00000059def024 | ba000001b2825404 | XYZ Shopping Mall | North Wing | 006 - Barber Shop | 2021-08-11 18:25:51 | Mr William Orange | Fire Hazard |
| Report: 36000001c404e803 : Duration 0 Days - 2 Hours - 11 Minutes - 41 Seconds : (2021-08-11 16:14:10 - 2021-08-11 18:25:51) : Omissions: 2 : 003 - The Acupunture/005 - Phone Fix | | | | | | | |
| de00000059def024 | 36000001c404e803 | XYZ Shopping Mall | North Wing | 001 - Entrance | 2021-08-11 18:28:02 | Mr Charles Zapodilla | |
| de00000059def024 | 5700000180542f04 | XYZ Shopping Mall | North Wing | 002 - Nightingale Bank | 2021-08-11 18:40:34 | Mr Charles Zapodilla | |
| de00000059def024 | 81000001c46eaa04 | XYZ Shopping Mall | North Wing | 003 - The Acupunture | 2021-08-11 18:55:03 | Mr Charles Zapodilla | |
| de00000059def024 | 81000001c46eaa04 | XYZ Shopping Mall | North Wing | 003 - The Acupunture | 2021-08-11 18:55:12 | Mr Charles Zapodilla | Gas Leak |
| de00000059def024 | 23000001a2c73704 | XYZ Shopping Mall | North Wing | 004 - Childrens Corner | 2021-08-11 19:09:20 | Mr Charles Zapodilla | |
| de00000059def024 | 23000001a2c73704 | XYZ Shopping Mall | North Wing | 004 - Childrens Corner | 2021-08-11 19:09:54 | Mr Charles Zapodilla | Fire Alarm |
| de00000059def024 | ba000001b2825404 | XYZ Shopping Mall | North Wing | 006 - Barber Shop | 2021-08-11 19:15:33 | Mr Charles Zapodilla | |
| de00000059def024 | ba000001b2825404 | XYZ Shopping Mall | North Wing | 006 - Barber Shop | 2021-08-11 19:15:33 | Mr Charles Zapodilla | |
| Report: 36000001c404e803 : Duration 0 Days - 0 Hours - 47 Minutes - 31 Seconds : (2021-08-11 18:28:02 - 2021-08-11 19:15:33) : Omissions: 0 : | | | | | | | |
| de00000059def024 | 6c00000127051703 | Test Site 54 | Zulu Assembly Plant | 001 - Helicopter Hangar | 2021-08-12 16:14:22 | - | |
| de00000059def024 | c1000001272f8404 | Test Site 54 | Zulu Assembly Plant | 002 - Engine Works | 2021-08-12 16:29:47 | Mr Charles Zapodilla | |
| de00000059def024 | c1000001272f8404 | Test Site 54 | Zulu Assembly Plant | 002 - Engine Works | 2021-08-12 16:30:07 | Mr Charles Zapodilla | Fire Alarm |
| Report: 6c00000127051703 : Duration 0 Days - 0 Hours - 15 Minutes - 45 Seconds : (2021-08-12 16:14:22 - 2021-08-12 16:30:07) : Omissions: 4 : 003 - Avionics/004 - Paint Shop/005 - Structures/006 - Wind Tunnel | | | | | | | |

Mobile 10K – Remote Transmission Option! with Wi-Fi enabled Android Tablets and Phones, Low Cost, effective IoT.



Guard-Pro

Easy to use, self Contained, Mobile 10K App. Once installed requires only 2 buttons to operate.



- ❑ Just by pressing the "Download" button, tour reports will be uploaded into Google Drive™ in seconds! Notwithstanding how far away the Tour Sites might be.
- ❑ The System will automatically by "itself", as it is "Stand Alone", build and transmit a complete and detailed Tour Report, including messages and omissions.
- ❑ If more sophisticated reporting is required, our QuickReport Software will do just that for you! It will be presented on the next slides.



| Hardware ID | QR No. | Site Name | Tour | Checkpoint Name | Date / Time | Officer | Latitude | Longitude | Message |
|---|------------------|-------------------|------------|-----------------------|----------------|--------------|----------|-----------|-----------|
| f27ec4cb127b6640 | 6B0000000004303 | St Nicholas Hotel | Night Team | Basement | 21/02/20 00:37 | Bryan Larsen | 51.88968 | 0.9019466 | |
| f27ec4cb127b6640 | 9A00000000032904 | St Nicholas Hotel | Night Team | Kiosks | 21/02/20 02:52 | Bryan Larsen | 51.88977 | 0.9020115 | |
| f27ec4cb127b6640 | 4000000000031804 | St Nicholas Hotel | Night Team | Rm 905 | 21/02/20 02:54 | Bryan Larsen | 51.88977 | 0.9020115 | |
| f27ec4cb127b6640 | 5700000000033004 | St Nicholas Hotel | Night Team | Rm 912 | 21/02/20 02:57 | Bryan Larsen | 51.88977 | 0.9020115 | |
| f27ec4cb127b6640 | 1900000000031B04 | St Nicholas Hotel | Night Team | 3rd Floor Boiler Rm | 21/02/20 03:06 | Bryan Larsen | 51.88977 | 0.9020115 | Press. OK |
| f27ec4cb127b6640 | 6000000000033104 | St Nicholas Hotel | Night Team | 908 Cupboard | 21/02/20 03:12 | Bryan Larsen | 51.88977 | 0.9020115 | |
| f27ec4cb127b6640 | F800000000034104 | St Nicholas Hotel | Night Team | 2nd Floor Fire Escape | 21/02/20 03:18 | Bryan Larsen | 51.88977 | 0.9020115 | Operating |
| f27ec4cb127b6640 | 1F00000000032E04 | St Nicholas Hotel | Night Team | Rm 810 | 21/02/20 03:27 | Bryan Larsen | 51.88977 | 0.9020115 | |
| f27ec4cb127b6640 | 9600000000034304 | St Nicholas Hotel | Night Team | 812 Cupboard | 21/02/20 03:35 | Bryan Larsen | 51.88977 | 0.9020115 | |
| f27ec4cb127b6640 | 9C00000000031C04 | St Nicholas Hotel | Night Team | 803 Cupboard | 21/02/20 03:47 | Bryan Larsen | 51.88977 | 0.9020115 | |
| f27ec4cb127b6640 | BC00000000033504 | St Nicholas Hotel | Night Team | 2nd Floor back stairs | 21/02/20 04:10 | Bryan Larsen | 51.88977 | 0.9020115 | |
| f27ec4cb127b6640 | 3B00000000032104 | St Nicholas Hotel | Night Team | 703 Cupboard | 21/02/20 04:20 | Bryan Larsen | 51.88977 | 0.9020115 | |
| f27ec4cb127b6640 | B50000000002E504 | St Nicholas Hotel | Night Team | 711 Cupboard | 21/02/20 04:36 | Bryan Larsen | 51.88977 | 0.9020115 | |
| f27ec4cb127b6640 | 2400000000034504 | St Nicholas Hotel | Night Team | Alleyway fire exit | 21/02/20 04:55 | Bryan Larsen | 51.88977 | 0.9020115 | |
| f27ec4cb127b6640 | 320000000002F104 | St Nicholas Hotel | Night Team | Rm 707 | 21/02/20 05:05 | Bryan Larsen | 51.88948 | 0.9016518 | |
| Report: 6B0000000004303 : Duration 0 Days - 02 Hours - 21 Minutes - 30 Seconds : (2020-02-21 00:37:21 - 2020-02-21 02:58:51) : Omissions: 1 : Back Door | | | | | | | | | |

PC Software - QuickReport

If you desire enhanced reporting capabilities, our Software "QuickReport" will allow you to further evaluate groups of Sites, Tours, Guard performance and build customized reports for delivery to your customers.

QuickReport (V 19.11.16)

SQL Database Engine

Central Time Clock | Since 1931

UPLOAD

FILES

| FILE NAME | CREATION DATE |
|---|------------------|
| Bryan2020-2-21_6-31-48.csv | 20/03/20 2:47 PM |
| Bryan2020-2-20_10-33-54.csv | 20/03/20 2:47 PM |
| Bryan2020-2-20_5-1-22.csv | 20/03/20 2:47 PM |
| Adam2020-2-19_18-42-57.csv | 20/03/20 2:47 PM |
| Felipe Alberto Duran Borda2018-11-28_22-34... | 20/03/20 2:44 PM |
| S Meyer.2019-12-6_4-20-4.csv | 20/03/20 2:42 PM |
| S Meyer.2019-12-6_3-20-2.csv | 20/03/20 2:42 PM |
| S Meyer.2019-12-6_2-20-17.csv | 20/03/20 2:42 PM |
| S Meyer.2019-12-6_1-13-35.csv | 20/03/20 2:42 PM |
| Custavo Pereira2019-12-6_5-7-0.csv | 20/03/20 2:42 PM |

MESSAGES

| SITE NAME | OFFICER | MESSAGE |
|--------------|---------|-------------|
| St. Nicholas | Bryan | Fire Hazard |

OMISSIONS

| TOUR | SITE NAME | CHECKPOINT |
|------------|-------------------|-----------------------|
| Night Team | St Nicholas Hotel | 2nd Floor back stairs |
| Night Team | St Nicholas Hotel | 2nd Floor Fire Escape |
| Night Team | St Nicholas Hotel | 3rd Floor Boiler Rm |
| Night Team | St Nicholas Hotel | 703 Cupboard |
| Night Team | St Nicholas Hotel | 711 Cupboard |
| Night Team | St Nicholas Hotel | 803 Cupboard |

FILES

CHECKPOINTS

REPORTS

GOOGLE MAPS

SETTINGS

Each Tour Report is labeled with the Guard's Name.

Just by clicking on the report name, the system will automatically display the messages and omissions, this will allow the supervisor to save a lot of time!

Bryan2020-2-21_6-31-48.csv Export

Preliminary Report

| Bryan2020-2-20_5-1-22.csv.pdf | | | | | | | |
|-------------------------------|--|-----------------------|----------------|---------|----------|-----------|------------------|
| SITE NAME | TOUR | CHECKPOINT | DATETIME | OFFICER | LATITUDE | LONGITUDE | MESSAGE |
| St Nicholas Hotel | Night Team | Basement | 19/02/20 19:35 | Adam | 51.88959 | 0.9018753 | |
| St Nicholas Hotel | Night Team | Back Door | 19/02/20 19:35 | Adam | 51.88959 | 0.9018753 | |
| St Nicholas Hotel | Night Team | 703 Cupboard | 19/02/20 19:36 | Adam | 51.88959 | 0.9018753 | |
| St Nicholas Hotel | Night Team | 711 Cupboard | 19/02/20 19:36 | Adam | 51.88959 | 0.9018753 | |
| St Nicholas Hotel | Night Team | Rm 707 | 19/02/20 19:36 | Adam | 51.88959 | 0.9018753 | |
| St Nicholas Hotel | Night Team | 2nd Floor back stairs | 19/02/20 19:37 | Adam | 51.88959 | 0.9018753 | |
| St Nicholas Hotel | Night Team | 803 Cupboard | 19/02/20 19:37 | Adam | 51.88959 | 0.9018753 | |
| St Nicholas Hotel | Night Team | 812 Cupboard | 19/02/20 19:38 | Adam | 51.88959 | 0.9018753 | |
| St Nicholas Hotel | Night Team | 2nd Floor Fire Escape | 19/02/20 19:38 | Adam | 51.88959 | 0.9018753 | |
| St Nicholas Hotel | Night Team | 3rd Floor Boiler Rm | 19/02/20 19:39 | Adam | 51.88959 | 0.9018753 | Steam Valve OK |
| OMISSIONS | Kiosks Alleyway fire exit Rm 810 Rm 905 Rm 912 908 Cupboard | | | | | | |
| SITE NAME | TOUR | CHECKPOINT | DATETIME | OFFICER | LATITUDE | LONGITUDE | MESSAGE |
| St Nicholas Hotel | Night Team | Basement | 19/02/20 22:59 | Bryan | 51.88953 | 0.9018204 | |
| St Nicholas Hotel | Night Team | Back Door | 19/02/20 22:59 | Bryan | 51.88953 | 0.9018204 | |
| St Nicholas Hotel | Night Team | Kiosks | 19/02/20 23:01 | Bryan | 51.88953 | 0.9018204 | |
| St Nicholas Hotel | Night Team | Rm 905 | 19/02/20 23:02 | Bryan | 51.88953 | 0.9018204 | |
| St Nicholas Hotel | Night Team | Rm 912 | 19/02/20 23:02 | Bryan | 51.88953 | 0.9018204 | |
| St Nicholas Hotel | Night Team | 908 Cupboard | 19/02/20 23:03 | Bryan | 51.88953 | 0.9018204 | |
| St Nicholas Hotel | Night Team | 3rd Floor Boiler Rm | 19/02/20 23:03 | Bryan | 51.88953 | 0.9018204 | OK |
| St Nicholas Hotel | Night Team | 2nd Floor Fire Escape | 19/02/20 23:04 | Bryan | 51.88953 | 0.9018204 | Open! I reset it |
| St Nicholas Hotel | Night Team | Rm 810 | 19/02/20 23:04 | Bryan | 51.88953 | 0.9018204 | |
| St Nicholas Hotel | Night Team | 812 Cupboard | 19/02/20 23:05 | Bryan | 51.88953 | 0.9018204 | |
| St Nicholas Hotel | Night Team | 803 Cupboard | 19/02/20 23:05 | Bryan | 51.88953 | 0.9018204 | |
| St Nicholas Hotel | Night Team | 2nd Floor back stairs | 19/02/20 23:06 | Bryan | 51.88953 | 0.9018204 | |
| St Nicholas Hotel | Night Team | 703 Cupboard | 19/02/20 23:07 | Bryan | 51.88953 | 0.9018204 | |
| St Nicholas Hotel | Night Team | 711 Cupboard | 19/02/20 23:07 | Bryan | 51.88953 | 0.9018204 | |
| St Nicholas Hotel | Night Team | Rm 707 | 19/02/20 23:09 | Bryan | 51.88953 | 0.9018204 | |
| St Nicholas Hotel | Night Team | Alleyway fire exit | 19/02/20 23:09 | Bryan | 51.88953 | 0.9018204 | |
| St Nicholas Hotel | Night Team | Kiosks | 20/02/20 00:35 | Bryan | 51.88971 | 0.9020369 | |
| St Nicholas Hotel | Night Team | Rm 905 | 20/02/20 00:37 | Bryan | 51.88971 | 0.9020369 | |
| St Nicholas Hotel | Night Team | 3rd Floor Boiler Rm | 20/02/20 00:37 | Bryan | 51.88971 | 0.9020369 | |
| St Nicholas Hotel | Night Team | Rm 912 | 20/02/20 00:38 | Bryan | 51.88971 | 0.9020369 | |
| St Nicholas Hotel | Night Team | 908 Cupboard | 20/02/20 00:38 | Bryan | 51.88971 | 0.9020369 | |
| St Nicholas Hotel | Night Team | 2nd Floor Fire Escape | 20/02/20 00:39 | Bryan | 51.88971 | 0.9020369 | |
| St Nicholas Hotel | Night Team | 812 Cupboard | 20/02/20 00:40 | Bryan | 51.88971 | 0.9020369 | |
| St Nicholas Hotel | Night Team | Rm 810 | 20/02/20 00:41 | Bryan | 51.88971 | 0.9020369 | |
| St Nicholas Hotel | Night Team | 803 Cupboard | 20/02/20 00:42 | Bryan | 51.88971 | 0.9020369 | |
| St Nicholas Hotel | Night Team | 2nd Floor back stairs | 20/02/20 00:42 | Bryan | 51.88971 | 0.9020369 | |
| St Nicholas Hotel | Night Team | 703 Cupboard | 20/02/20 00:43 | Bryan | 51.88971 | 0.9020369 | |
| St Nicholas Hotel | Night Team | 711 Cupboard | 20/02/20 00:44 | Bryan | 51.88971 | 0.9020369 | |
| St Nicholas Hotel | Night Team | Alleyway fire exit | 20/02/20 00:45 | Bryan | 51.88971 | 0.9020369 | |
| St Nicholas Hotel | Night Team | Rm 707 | 20/02/20 00:46 | Bryan | 51.88971 | 0.9020369 | |
| St Nicholas Hotel | Night Team | Back Door | 20/02/20 00:47 | Bryan | 51.88971 | 0.9020369 | |
| OMISSIONS | No omissions (Completed) | | | | | | |

Start Tour →

End Tour + Evaluation →

Start Tour →

End Tour + Evaluation →

Report Filters

QuickReport (V 19.11.16)

Central Time Clock
Since 1931

1. Select the range of dates between which you want to consult the information.

Start date Sunday , December 1, 2019 **End date** Monday , April 13, 2020

2. Select the filters you want to apply.

Site name St Nicholas Hotel All

Tour Night Team All


Checkpoint 004southwestprimeter All

Officer Adam All

GENERATE AND SAVE

You will be able to filter reports, by Date, by Site, by Tour, by checkpoints and by security officer.

Once you have selected report filters, click on the Generate and Save button.



Enhanced Report: Provides alternate ways to view information by displaying data in a quick and easy viewing pattern

Displays detailed information by selected dates, Site, Tour, Checkpoints and Officers.

| REPORT FILTERS | | | |
|----------------|-------------------|----------|------------|
| START DATE | 2020-02-01 | END DATE | 2020-04-12 |
| SITE | St Nicholas Hotel | | |
| TOUR | Night Team | | |
| CHECKPOINT | All | | |
| OFFICER | Adam | | |

Provides summary of operations statistics

| STATISTICS | | | |
|-------------------|------------|------------|----------------------|
| SITE NAME | TOUR | DATE | RECORDED CHECKPOINTS |
| St Nicholas Hotel | Night Team | 2020-02-19 | 84 |
| St Nicholas Hotel | Night Team | 2020-02-20 | 240 |
| St Nicholas Hotel | Night Team | 2020-02-21 | 96 |

| MESSAGES | | | | | | |
|----------|-------------------|------------|-----------------------|----------------|---------|------------------------|
| TOUR # | SITE NAME | TOUR | RECORDED CHECKPOINT | DATETIME | OFFICER | MESSAGE |
| 2 | St Nicholas Hotel | Night Team | 2nd Floor Fire Escape | 19/02/20 19:38 | Adam | Low Batt. LED Blinking |


Displays Incident messages related to the tours and checkpoints.

| OMISSIONS | | | |
|-----------|-------------------|-----------------------|--------------------------|
| TOUR # | SITE NAME | OMITTED CHECKPOINT | STATUS |
| 1 | St Nicholas Hotel | 703 Cupboard | Omitted |
| 1 | St Nicholas Hotel | Kiosks | Omitted |
| 1 | St Nicholas Hotel | 711 Cupboard | Omitted |
| 1 | St Nicholas Hotel | Rm 707 | Omitted |
| 1 | St Nicholas Hotel | Alleyway fire exit | Omitted |
| 1 | St Nicholas Hotel | 803 Cupboard | Omitted |
| 1 | St Nicholas Hotel | 2nd Floor back stairs | Omitted |
| 1 | St Nicholas Hotel | 812 Cupboard | Omitted |
| 1 | St Nicholas Hotel | Rm 810 | Omitted |
| 2 | St Nicholas Hotel | 908 Cupboard | Omitted |
| 3 | St Nicholas Hotel | | No omissions (Completed) |
| 4 | St Nicholas Hotel | | No omissions (Completed) |
| 6 | St Nicholas Hotel | | No omissions (Completed) |
| 7 | St Nicholas Hotel | | No omissions (Completed) |

Highlights omitted checkpoints per tour.

Highlights Complete Tours.

Can visualize Security Tours on Google Maps™ and Google Earth™



Guard-Pro Advanced Guard Tour Systems

Centor.



For more information please contact us



GUARD-Pro M 10K

Automated Guard Patrol Tour Systems
proudly Distributed/Supported by

Time Access Systems Inc

Phone: (604) 460-9602 - Toll Free: 1-877-460-9602

www.timeaccessinc.com