Worlds Most Durable Guard Tour Systems

Guard-Pro



Guard-Pro Guard Tour Systems

<u>Centor</u>







Guard-Pro M 10K

Automated Guard Patrol Tour Systems proudly Distributed/Supported by

Time Access Systems Inc

Phone: (604) 460-9602 - Toll Free: 1-877-460-9602 www.timeaccessinc.com

Mobile 10K

Guard Tour Verification System

Easy to Use
Direct Download to a PC
Military Quality – Long Life

For more info: info@centraltimeclock.com

10K - PC Software



Guard-Pro

Guard Tour Patrol Systems

Guard-Pro 10K Components





Guard ID Keys and Badges







Checkpoints



Incident Booklets

Remote Transmission Option! Can download and view Tours on your phone, tablet or PC



High Quality and Durable Guard Tour System


Guard-Pro Mobile 10K Specifications

- 20% Glass Reinforced Polycarbonate Casing, "Lexan®"
- Battery life 300,000 Recordings, 3 AAA batteries.
- Nonvolatile RAM memory, capacity 5000 Recordings, assures integrity of data in the absence of power for 10 years.
- Self powered Maxim Real Time Clock, keeps date and time in the absence of power for 10 years.
- Operating Temperature -40° to 85°C
- Impact tested Circuit Board at 100 G +.
- Complies with tropical rain forest operation specifications.
 IP Ratings are IP679DW (IK10)
- A Brass Head Probe can be installed for use on explosive environments (Optional).
- Dimensions: L 10.0, W 4.8, H 3.5 centimeters,
- Light and easy to carry, yet very strong. Weight 160 grams.
- Operation Humidity above 90% RH.






Downloading directly to a PC



With the easy-to-use 10K-PC program, all you need to do, is connect the 10K Recorder and a couple of clicks away, you will have a comprehensive report in csv and pdf formats.


Hardware ID	QR No.	Site Name	Tour	Checkpoint Name	Date / Time	Officer	Message	
de000000059def024	36000001c404e803	XYZ Shopping Mall	North Wing	001 - Entrance	2021-08-11 16:14:10	Mr William Orange		
de000000059def024	5700000180542f04	XYZ Shopping Mall		002 - Nightingale Bank	2021-08-11 17:17:20			
de000000059def024	23000001a2c73704	XYZ Shopping Mall	North Wing	004 - Childrens Corner	2021-08-11 18:16:12	Mr William Orange		
de000000059def024	ba000001b2825404	XYZ Shopping Mall		006 - Barber Shop	2021-08-11 18:21:39			
le000000059def024	ba000001b2825404	XYZ Shopping Mall		006 - Barber Shop	2021-08-11 18:25:43			
le000000059def024	ba000001b2825404				2021-08-11 18:25:51		Fire Hazard	
Report: 36000001c404e803 : Duration 0 Days - 2 Hours - 11 Minutes - 41 Seconds : (2021-08-11 16:14:10 - 2021-08-11 18:25:51) : Omissions: 2 : 003 - The Acupunture/005 - Phone Fix								
1-000000601-6024	26000001-404-002	VV7 Chamina Mall	NI41- Win-	001 Enteres	2021 00 11 10 20 02	Mr. Charles Zana Ella		
le00000059def024	36000001c404e803	XYZ Shopping Mall		001 - Entrance		Mr Charles Zapodilla		
le00000059def024	5700000180542f04	XYZ Shopping Mall		002 - Nightingale Bank		Mr Charles Zapodilla		
le000000059def024	81000001c46eaa04	XYZ Shopping Mall	North Wing	003 - The Acupunture		Mr Charles Zapodilla		
de000000059def024	81000001c46eaa04	XYZ Shopping Mall	North Wing	003 - The Acupunture	2021-08-11 18:55:12	Mr Charles Zapodilla	Gas Leak	
le00000059def024	23000001a2c73704	XYZ Shopping Mall	North Wing	004 - Childrens Corner	2021-08-11 19:09:20	Mr Charles Zapodilla		
ഹ000000594ഷ്034.	2300000152573304	YYZ Shopping Mell	Morth Wing	004 -Children Comer	2021-08-11 10:00:54	Ms Cherles Zepodilla	Fra. Merm.	
lections/55/sleft744	cheminal cheminate	XYZ Haspane Mall	Neria Warg	KK-Phanelix	2021 00 1 11 1921303	Mr Charles-Zapodilla		
Lection in the Lectio	leacococalidade25464	XYZ Strongmer Mall	North Warg	696=Barber Moon	2021-08-11-021533	Mr Zharles Zapolilla		
Report: 36000001c404e803 : Duration 0 Days - 0 Hours - 47 Minutes - 31 Seconds : (2021-08-11 18:28:02 - 2021-08-11 19:15:33) : Omissions: 0 :								
de000000059def024	6c00000127051703	Test Site 54	Zulu Assembly Plant	001 - Helicopter Hangar	2021-08-12 16:14:22	-		
de000000059def024	c1000001272f8404	Test Site 54	Zulu Assembly Plant	002 - Engine Works	2021-08-12 16:29:47	Mr Charles Zapodilla		
de000000059def024	c1000001272f8404	Test Site 54	Zulu Assembly Plant	002 - Engine Works	2021-08-12 16:30:07	Mr Charles Zapodilla	Fire Alarm	
Report: 6c00000127051703 : Duration 0 Days - 0 Hours - 15 Minutes - 45 Seconds : (2021-08-12 16:14:22 - 2021-08-12 16:30:07) : Omissions: 4 : 003 - Avionics/004 - Paint Shop/005 - Structures/006 - Wind Tunnel								

Mobile 10K – Remote Transmission Option! with Wi-Fi enabled Android Tablets and Phones, Low Cost, effective IoT.





Easy to use, self Contained, Mobile 10K App. Once installed requires only 2 buttons to operate.



Mobile 10K Benefits and Results


Guard-Pro

- □ Just by pressing the "Download" button, tour reports will be uploaded into Google Drive ™ in seconds! Notwithstanding how far away the Tour Sites might be.
- ☐ The System will automatically by "itself", as it is "Stand Alone", build and transmit a complete and detailed Tour Report, including messages and omissions.
- ☐ If more sophisticated reporting is required, our QuickReport Software will do just that for you! It will be presented on the next slides.

Hardware ID	QR No.	Site Name	Tour	Checkpoint Name	Date / Time	Officer	Latitude	Longitude	Message
f27ec4cb127b6640	6B00000000004303	St Nicholas Hotel	Night Team	Basement	21/02/20 00:37	Bryan Larsen	51.88968	0.9019466	
f27ec4cb127b6640	9A0000000032904	St Nicholas Hotel	Night Team	Kiosks	21/02/20 02:52	Bryan Larsen	51.88977	0.9020115	
f27ec4cb127b6640	400000000031804	St Nicholas Hotel	Night Team	Rm 905	21/02/20 02:54	Bryan Larsen	51.88977	0.9020115	
f27ec4cb127b6640	570000000033004	St Nicholas Hotel	Night Team	Rm 912	21/02/20 02:57	Bryan Larsen	51.88977	0.9020115	
f27ec4cb127b6640	190000000031B04	St Nicholas Hotel	Night Team	3rd Floor Boiler Rm	21/02/20 03:06	Bryan Larsen	51.88977	0.9020115	Press. OK
f27ec4cb127b6640	600000000033104	St Nicholas Hotel	Night Team	908 Cupboard	21/02/20 03:12	Bryan Larsen	51.88977	0.9020115	
f27ec4cb127b6640	F80000000034104	St Nicholas Hotel	Night Team	2nd Floor Fire Escape	21/02/20 03:18	Bryan Larsen	51.88977	0.9020115	Operating
f27ec4cb127b6640	1F00000000032E04	St Nicholas Hotel	Night Team	Rm 810	21/02/20 03:27	Bryan Larsen	51.88977	0.9020115	
f27ec4cb127b6640	960000000034304	St Nicholas Hotel	Night Team	812 Cupboard	21/02/20 03:35	Bryan Larsen	51.88977	0.9020115	
f27ec4cb127b6640	9C0000000031C04	St Nicholas Hotel	Night Team	803 Cupboard	21/02/20 03:47	Bryan Larsen	51.88977	0.9020115	
f27ec4cb127b6640	BC0000000033504	St Nicholas Hotel	Night Team	2nd Floor back stairs	21/02/20 04:10	Bryan Larsen	51.88977	0.9020115	
f27ec4cb127b6640	3B00000000032104	St Nicholas Hotel	Night Team	703 Cupboard	21/02/20 04:20	Bryan Larsen	51.88977	0.9020115	
f27ec4cb127b6640	B50000000002E504	St Nicholas Hotel	Night Team	711 Cupboard	21/02/20 04:36	Bryan Larsen	51.88977	0.9020115	
f27ec4cb127b6640	240000000034504	St Nicholas Hotel	Night Team	Alleyway fire exit	21/02/20 04:55	Bryan Larsen	51.88977	0.9020115	
f27ec4cb127b6640	320000000002F104	St Nicholas Hotel	Night Team	Rm 707	21/02/20 05:05	Bryan Larsen	51.88948	0.9016518	
Report: 6B0000000004303: Duration 0 Days - 02 Hours - 21 Minutes - 30 Seconds: (2020-02-21 00:37:21 - 2020-02-21 02:58:51): Omissions: 1: Back Door									

PC Software - QuickReport

If you desire enhanced reporting capabilities, our Software "QuickReport" will allow you to further evaluate groups of Sites, Tours, Guard performance and build customized reports for delivery to your customers.



Preliminary Report

Start Tour

End Tour + Evaluation

Start Tour

Bryan2020-2-20_5-1-22.csv.pdf									
SITE NAME	TOUR	CHECKPOINT	DATETIME	OFFICER	LATITUDE	LONGITUDE	MESSAGE		
St Nicholas Hotel	Night Team	Basement	19/02/20 19:35	Adam	51.88959	0.9018753			
St Nicholas Hotel	Night Team	Back Door	19/02/20 19:35	Adam	51.88959	0.9018753			
St Nicholas Hotel	Night Team	703 Cupboard	19/02/20 19:36	Adam	51.88959	0.9018753			
St Nicholas Hotel	Night Team	711 Cupboard	19/02/20 19:36	Adam	51.88959	0.9018753			
St Nicholas Hotel	Night Team	Rm 707	19/02/20 19:36	Adam	51.88959	0.9018753			
St Nicholas Hotel	Night Team	2nd Floor back stairs	19/02/20 19:37	Adam	51.88959	0.9018753			
St Nicholas Hotel	Night Team	803 Cupboard	19/02/20 19:37	Adam	51.88959	0.9018753			
St Nicholas Hotel	Night Team	812 Cupboard	19/02/20 19:38	Adam	51.88959	0.9018753			
St Nicholas Hotel	Night Team	2nd Floor Fire Escape	19/02/20 19:38	Adam	51.88959	0.9018753			
St Nicholas Hotel	Night Team	3rd Floor Boiler Rm	19/02/20 19:39	Adam	51.88959	0.9018753	Steam Valve OK		
OMISSIONS	Alleyway fire exit Rm 810 Rm 905 Rm 912 908 Cupboard								
SITE NAME	TOUR	CHECKPOINT	DATETIME	OFFICER	LATITUDE	LONGITUDE	MESSAGE		
St Nicholas Hotel	Night Team	Basement	19/02/20 22:59	Bryan	51.88953	0.9018204			
St Nicholas Hotel	Night Team	Back Door	19/02/20 22:59	Bryan	51.88953	0.9018204			
St Nicholas Hotel	Night Team	Kiosks	19/02/20 23:01	Bryan	51.88953	0.9018204			
St Nicholas Hotel	Night Team	Rm 905	19/02/20 23:02	Bryan	51.88953	0.9018204			
St Nicholas Hotel	Night Team	Rm 912	19/02/20 23:02	Bryan	51.88953	0.9018204			
St Nicholas Hotel	Night Team	908 Cupboard	19/02/20 23:03	Bryan	51.88953	0.9018204			
St Nicholas Hotel	Night Team	3rd Floor Boiler Rm	19/02/20 23:03	Bryan	51.88953	0.9018204	OK		
St Nicholas Hotel	Night Team	2nd Floor Fire Escape	19/02/20 23:04	Bryan	51.88953	0.9018204	Open! I reset it		
St Nicholas Hotel	Night Team	Rm 810	19/02/20 23:04	Bryan	51.88953	0.9018204			
St Nicholas Hotel	Night Team	812 Cupboard	19/02/20 23:05	Bryan	51.88953	0.9018204			
St Nicholas Hotel	Night Team	803 Cupboard	19/02/20 23:05	Bryan	51.88953	0.9018204			
St Nicholas Hotel	Night Team	2nd Floor back stairs	19/02/20 23:06	Bryan	51.88953	0.9018204			
St Nicholas Hotel	Night Team	703 Cupboard	19/02/20 23:07	Bryan	51.88953	0.9018204			
St Nicholas Hotel	Night Team	711 Cupboard	19/02/20 23:07	Bryan	51.88953	0.9018204			
St Nicholas Hotel	Night Team	Rm 707	19/02/20 23:09	Bryan	51.88953	0.9018204			
St Nicholas Hotel	Night Team	Alleyway fire exit	19/02/20 23:09	Bryan	51.88953	0.9018204			
St Nicholas Hotel	Night Team	Kiosks	20/02/20 00:35	Bryan	51.88971	0.9020369			
St Nicholas Hotel	Night Team	Rm 905	20/02/20 00:37	Bryan	51.88971	0.9020369			
St Nicholas Hotel	Night Team	3rd Floor Boiler Rm	20/02/20 00:37	Bryan	51.88971	0.9020369			
St Nicholas Hotel	Night Team	Rm 912	20/02/20 00:38	Bryan	51.88971	0.9020369			
St Nicholas Hotel	Night Team	908 Cupboard	20/02/20 00:38	Bryan	51.88971	0.9020369			
St Nicholas Hotel	Night Team	2nd Floor Fire Escape	20/02/20 00:39	Bryan	51.88971	0.9020369			
St Nicholas Hotel	Night Team	812 Cupboard	20/02/20 00:40	Bryan	51.88971	0.9020369			
St Nicholas Hotel	Night Team	Rm 810	20/02/20 00:41	Bryan	51.88971	0.9020369			
St Nicholas Hotel	Night Team	803 Cupboard	20/02/20 00:42	Bryan	51.88971	0.9020369			
St Nicholas Hotel	Night Team	2nd Floor back stairs	20/02/20 00:42	Bryan	51.88971	0.9020369			
St Nicholas Hotel	Night Team	703 Cupboard	20/02/20 00:43	Bryan	51.88971	0.9020369			
				_					

End Tour + Evaluation

St Nicholas Hotel

St Nicholas Hotel

St Nicholas Hotel

St Nicholas Hotel

Night Team

Night Team

Night Team

Night Team

20/02/20 00:44

20/02/20 00:45

20/02/20 00:46

20/02/20 00:47

Bryan

Bryan

Bryan

Bryan

51.88971

51.88971

51.88971

51.88971

0.9020369

0.9020369

0.9020369

0.9020369


711 Cupboard

Alleyway fire exit


Rm 707

Back Door


Report Filters



Enhanced Report: Provides alternate ways to view information by displaying data in a quick and easy viewing pattern



Can visualize Security Tours on Google Maps ™ and Google Earth™





Worlds Most Durable Guard Tour Systems

Guard-Pro

Guard-Pro Advanced Guard Tour Systems





For more information please contact us



GUARD-Pro M 10K

Automated Guard Patrol Tour Systems proudly Distributed/Supported by

Time Access Systems Inc

Phone: (604) 460-9602 - Toll Free: 1-877-460-9602 www.timeaccessinc.com