

Time Access Systems Inc

Time Keeping Solutions



Time Access Systems

RF Wireless Clock Systems

Affordable Wireless Solutions

Toll Free: 1-877-460-9602



Professional series Synchronized Wireless Clock System

Low Cost Wireless Solutions

Digital Wireless Clock Packaged Systems

Synchronized Wireless Clock Bundle Includes:

- 1 x Wireless RF Mini Transmitter
- 5 x Digital 4" Display Clocks with Wireless correction feature
- Installation Manual



Bundle Special
Please contact us
for pricing



Additional Optional Items

- 3" Display Digital 120 VAC Wireless Clocks
- 4" Display Digital 120 VAC Wireless Clocks
- Double Sided Mounting Bracket (for Mounting Clocks Back to Back)
- 13" Wireless Analog Battery Operated Clocks
- 13" Wireless Analog 120VAC Electric Clocks



1-Watt Wireless RF Mini-Transmitter

128 channel 902-928MHz frequency-hopping technology
Send RF time signal to an unlimited number of clocks
Battery backup for maintenance-free use should power fail
Time source captured from NTP or optional Scheduling software controls optional synchronized system bells,
Power Requirement 120 VAC



Wireless RF Transmitter

3" x 4" Digit Red Wireless Digital Clocks

Automatically adjust for Daylight Saving Time
Durable ABS frame and shatterproof polycarbonate lenses
Automatic synchronized time calibration Modern styling and low profile design. 120VAC Power Sourced Required

Warranty:

1 year depot warranty


Optional System Add-ons:

Additional Analog and Digital Clocks

EASY INSTALLATION / USER FRIENDLY

Time Access Time Trax Wireless Synchronized "Clocks in a box" Analog bundle is a pre-engineered starter solution for instant time synchronization. The all-inclusive system was engineered with plug and play connections for simplistic setup right out of a box. Absolutely everything that is needed is included, so there's no time wasted on trying to figure out which accessories and parts to order. The Digital Bundle includes a 915MHz mini-transmitter, software and (5) 3" x 4" Digital clocks.

Time Access Sync complete "Clocks solution captures time via the Internet in NTP (Network Time Protocol) format or from the optional GPS satellite signals. In addition our Wireless Clock Systems are all backed by an exclusive 3 year warranty. "Clocks in a box" is the ideal starter solution for synchronized timing needs in corporate offices, industrial settings, healthcare facilities, or schools and for all building types under 50,000 sq. ft. (Larger building accommodations available upon request with optional re-transmitters)



Maintaining accurate synchronized time throughout an entire facility saves thousands of dollars in labor, maintenance & lost productivity costs.

Professional RF
Wireless Clock Systems



www.timeaccessinc.com




Professional series RF Wireless Clock Systems

RF Wireless LED Digital Clock Series

Improve efficiency and productivity with highly visible synchronized time throughout an entire facility.

Time Access Systems TimeTrax RF Wireless Synchronized LED Digital Clocks receive a dependable time signal from RF Wireless Transmitter (sold separately). The compact transmitter broadcasts time signal over 128 signaling channels (902-928MHz) to ensure time transmission with no in-terference. Transmitter requires no FCC license for operation and includes software interface for NTP server selection. Sync-Pro RF Digital Clocks are available in a variety of bezel colors, LED colors and digit formats (00:00 or 00:00:00) to meet the timekeeping needs of any environment. The Sync-Pro RF Wireless LED Digital Clock System is simple to install and easy to expand.




RF Wireless LED Digital Clock Series Ordering Information

WIRELESS RF 4 DIGIT SERIES 00:00	
Part No.	Description
9D34BR	Red LED, 3" Digit, 4-Digit, Black Bezel
9D44BR	Red LED, 4" Digit, 4-Digit, Black Bezel

Wireless RF 6 DIGIT SERIES 00:00:00	
Part No.	Description
9D46BR	Red LED, 4" Digit, 6-Digit, Black Bezel

*RF Wireless Transmitter required (part #9T1WI or part #S9DWSLAUB) for clock operation.

- Receives official, accurate time signal from RF Wireless Transmitter
- Transmitter broadcasts time signal using frequency-hopping 902-928 MHz (128 signaling channels) to ensure no interference
- No FCC license required for operation
- Available in a variety of bezel colors, LED colors and digit formats (00:00 or 00:00:00)
- Ultra bright LED digits provide optimum visibility (up to 250ft)
- Automatic Daylight Saving Time adjustment
- Includes anti-theft wall bracket for safe and secure wall mounting
- Three-year manufacturer's limited warranty



Time Signal "hops" from frequency to frequency, ensuring clocks receive the correct time despite interference on other frequencies.



4" 2 Digit Display Wireless Clock



4" 6 Digit Display Wireless Clock

dual clock ceiling bracket



Ceiling Mount Bracket

dual clock wall bracket



Wall Mount Bracket



Time Access Systems



RF Wireless LED Digital Clock Series

Professional series RF Wireless Clock Systems

Please Note We continually strive to improve our products to meet our customers' needs and to provide the best possible value. The above specifications are believed to be correct, are subject to change without notice and may otherwise vary from the above.






SPECIFICATIONS

Time Base	Microprocessor		
Time Update Frequency	Every 20 seconds		
Time Update Method	902-928 MHz RF Wireless Frequency Hopping		
Power	105-240V AC 50/60Hz 12" leads		
Average Current Consumption	<1W		
Operating Temperature	-30° F (-33.44° C) to 130° F (54.44° C)		
Mounting	Double Face, Wall or Ceiling		
Lens Material	Non glare, shatterproof transparent polycarbonate		
Bezel Material	Reinforced Acrylonitrile Butadiene Styrene (ABS)		
Bezel Color	Black or Silver		
Time Format Modes	12 Hour (AM/PM) or 24 Hour (Military)		
LED Color	Red or Blue		
DIGIT HEIGHT/FORMAT	WEIGHT	DIMENSIONS (WXHXD)	SHIPPING WEIGHT
2.5"/6-Digit 00:00:00	1.9lbs (.86kg)	11.25" x 4.5" x 1.5" (28.25cm x 11.5cm x 3.75cm)	1.7lbs (.77kg)
3"/4-Digit 00:00	1.55lbs (.70kg)	11.25" x 4.5" x 1.5" (28.25cm x 11.5cm x 3.75cm)	2.3lbs (1.04kg)
4"/4-Digit 00:00	1.95lbs (.88kg)	11.5" x 6.25" x 1.5" (29cm x 15.75cm x 3.75cm)	2.6lbs (1.17kg)
4"/6-Digit 00:00:00	2.8lbs (1.27kg)	15.5" x 6.25" x 1.5" (39cm x 15.75cm x 3.75cm)	3.05lbs (1.38kg)
Warranty	3-Year manufacturer's limited warranty		
Guarantee	30-Day money back guarantee		
Compliance	FCC part 15 section 15,247 FCC ID# WC7H9ALG1		
Includes	Security wall bracket and key, User Guide		

ACCESSORIES

S9DWXSLAUB*	TimeTrax Ethernet RF Wireless Transmitter, wall mount unit (includes software)
42328	GPS Signal Receiver
42317	RF Wireless Transmitter Wall Rack
42321	Dual Digital Clock Wall Bracket (3x4/2.5x6/4x4)
42443	Dual Analog & Digital Clock Ceiling Bracket
42316	4"x 6-Digit Wire Clock Guard
42400	4"x 4-Digit Wire Clock Guard
42401	2.5"x 6-Digit Wire Clock Guard
42689	18.25" x 9.25" Polycarbonate NEMA4 Clock Cover
42247	Digital Security Mount Replacement
42281	Wall Clock Security Mount Replacement Key

*Either model required for clock operation.



Simple Setup.

Simply plug the RF Wireless transmitter (sold separately) into a standard electrical outlet and Ethernet port to establish a network connection. Transmitter sends time signal to wall clocks.

Proudly Distributed/Supported by

Time Access Systems Inc

Phone: (604) 460-8670 - Toll Free: 1 877 460-9602

www.timeaccessinc.com



TimeTrax Sync™